

# sakarāt<sup>®</sup>

# BROMABAIT<sup>®</sup>



**Killgerm<sup>®</sup>**  
www.killgerm.com

## Contains 0.005% w/w bromadiolone RODENTICIDE FOR PROFESSIONAL USE IN AND AROUND BUILDINGS

### TARGET ORGANISM:

*Rattus norvegicus* (Norway rat, Brown rat)  
*Mus musculus/domesticus* (House mouse)

### APPLICATION RATE(S) AND FREQUENCY:

For the control of rats, bait points of 100g should be placed every 10m<sup>2</sup> or alternatively every 10m, reducing to 5 metres in areas of high infestation.

For the control of mice, bait points of 50g should be placed every 10m<sup>2</sup> alternatively every 5 metres, reducing to 2 metres in areas of high infestation.

Frequent inspections of the bait points must be carried out (this is recommended every 3 – 4 days), replacing any bait that has been consumed by the rodents, damaged by water or contaminated by dirt.

### PRECAUTIONARY STATEMENTS:

Keep out of reach of children

Read label before use

Wear protective gloves (professional use only)

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician

### PROFESSIONAL USE:

For use in covered application in bait stations and placement into rat burrows/hole where holes are plugged with a tussock of grass or covered with natural site materials (logs, slate, stones etc). The resistance status of the target population should be taken into account when considering the choice of rodenticide to be used. In those areas where evidence of resistance to specific active ingredients is suspected, avoid their use. To control the spread of resistance, it is advisable to alternate baits containing different anticoagulant active ingredients.

The product may be applied by professional users only when appropriate chemical resistant gloves (EN 374) are used.

Wash hands and exposed skin before meals and after use.

Baits must be securely deposited in a way so as to minimize the risk of consumption by other animals or children.

Prevent access to bait by children, birds and non-target animals (particularly dogs, cats, pigs and poultry).

Where possible, secure baits so that they cannot be dragged away.

Unless under the supervision of a pest control operator or other competent person, do not use anticoagulant rodenticides as permanent baits. In most cases, anticoagulant bait should have achieved control within 35 days. Should activity continue beyond this time, the likely cause should be determined.

Search for and remove dead rodents at frequent intervals during treatment (unless used in sewers), at least as often as when baits are checked and/or replenished. Daily inspection may be required in some circumstances.

Dispose of dead rodents in accordance with local requirements. In the UK poisoned rodents may be disposed of by the waste producer at an incinerator or landfill permitted to accept that type of waste, or collected by a registered waste carrier and taken for disposal at

a suitably permitted site. For further information on disposal contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>). When the product is being used in public areas and tamper-resistant bait stations are not used, the following must be implemented. When the product is being used in public areas, the areas treated must be marked during the treatment period and a notice explaining the risk of primary or secondary poisoning by the anticoagulant as well as indicating the first measures to be taken in case of poisoning must be made available alongside the baits. When tamper-resistant bait stations are used, they should be clearly marked to show that they contain rodenticides and that they should not be disturbed. Antidote vitamin K1 (under medical supervision). UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice.

### PARTICULARS OF LIKELY DIRECT OR INDIRECT EFFECTS, FIRST AID INSTRUCTIONS AND EMERGENCY MEASURES TO PROTECT THE ENVIRONMENT:

Bromadiolone is an anticoagulant which may produce bleeding; the onset of bleeding may be delayed for several days after exposure. If there is no active bleeding the INR (prothrombin time) should be measured on presentation and 48-72 hours after exposure. If the INR is greater than 4, administer Vitamin K1 (phytomenadione) 5-10 mg by slow intravenous injection (100 µg/kg body weight for a child). Treatment with phytomenadione (orally or intravenously) may be required for several weeks. The advice of the National Poisons Information Service (<http://www.npis.org/>) should be sought, particularly if active bleeding occurs.

Take the person out of the contaminated zone and remove stained or splashed clothing. For eye contact: wash eyes with abundant water for at least 15 minutes. Do not forget to remove contact lenses.

For skin contact: wash the skin with abundant soap and water, without rubbing.

If ingested, DO NOT cause vomiting.

Keep the patient at rest and maintain body temperature.

Check breathing. If necessary, artificial respiration.

If the person is unconscious, place them on their side with their head lower than the rest of their body and knees half bent.

Transfer the poison victim to a hospital and take the label or package whenever possible.

DO NOT LEAVE THE POISON VICTIM ALONE AT ANY TIME.

Contains Denatonium Benzoate.

### INSTRUCTIONS FOR SAFE DISPOSAL OF THE PRODUCT AND ITS PACKAGING:

Remove all baits after treatment and dispose of them in accordance with local requirements.

Dead rodents and bait found outside bait stations should be disposed of using protective gloves.

Professionals: For information on disposal in the UK contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>).

### CONDITIONS OF STORAGE AND SHELF-LIFE OF THE PRODUCT UNDER NORMAL

#### CONDITIONS OF STORAGE:

Store in the original container in a dry and well ventilated place.

Keep away from sun radiation and other heat sources. Protect against frost.

Expiry date is 24 months from date of manufacture. See sticker attached.

### AUTHORISATION HOLDER:

Killgerm Chemicals Ltd  
115 Wakefield Road,  
Ossett  
West Yorkshire  
WF5 9AR  
UK

**AUTHORISATION NUMBER:** UK-2015-0931

## Contents: 20kg

**Label Ref: 06/15    Batch No and D.O.M: See Separate Stickers**

Killgerm Chemicals Ltd., 115 Wakefield Road, Ossett, West Yorkshire WF5 9AR (UK)

**t** 01924 268400 **f** 01924 264757 **e** [sales@killgerm.com](mailto:sales@killgerm.com) **www.killgerm.com**

