

Version 7/GB 102000012600 1/12 Revision Date: 28.10.2019 Print Date: 28.10.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier		
Trade name	MAXFORCE PRIME	
Product code (UVP)	06531709	
1.2 Relevant identified uses of	of the substance or mixture and uses advised against	
Use	Insecticide	
1.3 Details of the supplier of t	the safety data sheet	
Supplier	Bayer Environmental Science 230 Cambridge Science Park Milton Road Cambridge Cambridgeshire CB4 0WB United Kingdom	
Telephone	00800-1214 9451	
Telefax	+44(0)1223 426240	

Responsible Department Email: ukcropsupport@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Skin sensitisation: Category 1H317May cause an allergic skin reaction.

Chronic aquatic toxicity: Category 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Imidacloprid
- 1,2-Benzisothiazol-3(2H)-one
- Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one



Version 7/GB 102000012600 **2/12** Revision Date: 28.10.2019 Print Date: 28.10.2019



Signal word: Warning

Hazard statements

H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for
	USE.

Precautionary statements

P280 P273	Wear protective gloves/ protective clothing/ eye protection/ face protection. Avoid release to the environment.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P321	Specific treatment (see this label).
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Bait (ready for use) (RB) Imidacloprid 2.15 % w/w

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Imidacloprid	138261-41-3 428-040-8	Acute Tox. 4, H302 Aquatic Chronic 1, H410 Aquatic Acute 1, H400	2.15
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9 01-2120761540-60-0003	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400	> 0.05 - <= 0.1
Mixture of: 5-chloro-2- methyl-4-isothiazolin-3- one and 2-methyl-4-	55965-84-9	Skin Corr. 1C, H314 Acute Tox. 3, H301 Aquatic Acute 1, H400	> 0.0015 - < 0.006



Version 7/GB 102000012600

3/12 Revision Date: 28.10.2019 Print Date: 28.10.2019

isothiazolin-3-one		Acute Tox. 2, H330 Aquatic Chronic 1, H410 Acute Tox. 2, H310 Eye Dam. 1, H318 Skin Sens. 1A, H317	
Sucrose	57-50-1 200-334-9 01-2119491293-35-xxxx	Not classified	> 1.00
Flour		Not classified	> 1.00

Further information

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)
Mixture of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-4- isothiazolin-3-one	55965-84-9	M-Factor: 100 (acute), 100 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures **General advice** Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely. Skin contact Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician. Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists. Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately. 4.2 Most important symptoms and effects, both acute and delayed **Symptoms** If large amounts are ingested, the following symptoms may occur:, Nausea, Abdominal pain, Dizziness 4.3 Indication of any immediate medical attention and special treatment needed Treatment Treat symptomatically. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.



Version 7/GB 102000012600 4/12 Revision Date: 28.10.2019 Print Date: 28.10.2019

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures			
Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.		
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).		
6.3 Methods and materials for	r containment and cleaning up		
Methods for cleaning up	The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.		
Additional advice	Check also for any local site procedures.		
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.		

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.



5/12

MAXFORCE PRIME

Version 7 / GB 102000012600	Revision Date: 28.10.2019 Print Date: 28.10.2019
Advice on protection against fire and explosion	No special precautions required.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
7.2 Conditions for safe stora	ge, including any incompatibilities
Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Sucrose	57-50-1	10 mg/m3 (TWA)	12 2011	EH40 WEL
Sucrose	57-50-1	20 mg/m3 (STEL)	12 2011	EH40 WEL
Flour		10 mg/m3 (TWA)	12 2011	EH40 WEL
(Inhalable dust.)				
Flour		30 mg/m3 (STEL)	12 2011	EH40 WEL
(Inhalable dust.)				

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Please observe the instructions regarding permeability and



6/12

MAXFORCE PRIME

Version 7 / GB 102000012600	Revision Date: 28.10.2019 Print Date: 28.10.2019		
	breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet. Material Nitrile rubber Rate of permeability Glove thickness > 0.4 mm Protective index Directive Naterial Nitrile rubber Protective gloves complying with EN 374.		
Eye protection	Wear goggles (conforming	to EN166, Field of Use = 5 or equivalent).	
Skin and body protection	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	gel
Colour	light to dark brown
Odour	strong, characteristic
рН	5.0 - 6.0 (1 %) (23 °C) (CIPAC D water (342ppm))
Flammability (solid, gas)	The product is not highly flammable.
Ignition temperature	The product is not self-ignitable.
Water solubility	dispersible
Partition coefficient: n- octanol/water	Imidacloprid: log Pow: 0.57
Viscosity, dynamic	35,000 - 60,000 mPa.s (20 °C) Velocity gradient 7.3 /s
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.



Version 7 / GB 102000012600

7/12 Revision Date: 28.10.2019 Print Date: 28.10.2019

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
Thermal decomposition	362 °C
Self heating	not self-heating
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	
	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	No eye irritation (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.



be

MAXFORCE PRIME

Version 7/GB 102000012600 **8/12** Revision Date: 28.10.2019 Print Date: 28.10.2019

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid.
	EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.
Chronic toxicity to aquatic invertebrates	EC10 (Chironomus riparius (non-biting midge)): 0,87 μg/l Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid.
	EC10 (Caenis horaria (Mayfly)): 0,024 µg/l Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic plants	IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.
12.2 Persistence and degrada	ability
Biodegradability	Imidacloprid: Not rapidly biodegradable
Кос	Imidacloprid: Koc: 225
12.3 Bioaccumulative potenti	al
Bioaccumulation	Imidacloprid: Does not bioaccumulate.
12.4 Mobility in soil	
Mobility in soil	Imidacloprid: Moderately mobile in soils
12.5 Results of PBT and vPvE	3 assessment
PBT and vPvB assessment	Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to very persistent and very bioaccumulative (vPvB).
12.6 Other adverse effects	



MAXFORCE PRIME

Version 7/GB 102000012600 **9/12** Revision Date: 28.10.2019 Print Date: 28.10.2019

Additional ecological	
information	

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Empty remaining contents. Do not re-use baits or empty containers. Clean container with water. Not completely emptied packagings should be disposed of as hazardous waste. Rinsed packaging may be acceptable for landfill, otherwise incineration will be required in accordance with local regulations.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG 14.1 UN number 14.2 Proper shipping name	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES
IATA	3077
14.1 UN number	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
14.2 Proper shipping name	N.O.S.



Version 7/GB 102000012600

10/12 Revision Date: 28.10.2019 Print Date: 28.10.2019

14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Environm. Hazardous Mark	(IMIDACLOPRID MIXTURE) 9 III YES
UK 'Carriage' Regulations	
14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
	N.O.S.
	(IMIDACLOPRID MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	2Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991



MAXFORCE PRIME

Version 7 / GB 102000012600

11/12 Revision Date: 28.10.2019 Print Date: 28.10.2019

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Ready to use 'Baits' are insecticides packaged in plastic, tamper proof containers.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail



MAXFORCE PRIME

Version 7 / GB 102000012600 **12/12** Revision Date: 28.10.2019 Print Date: 28.10.2019

SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Reason for Revision:Safety Data Sheet according to Regulation (EU) No. 2015/830. The
following sections have been revised: Section 2: Hazards Identification.
Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.