

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : COOPEX MINI SMOKE GENERATOR

Product code : Article/SKU: 04359444 UVP: 05938406 Specification:102000002531

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide

1.3 Details of the supplier of the safety data sheet

Company : 2022 Environmental Science FR S.A.S.
Milton Hall, Ely Rd, Milton, Cambridge CB24 6WZ United Kingdom

Telephone : 00800-1214-9451 (UK)

E-mail address of person responsible for the SDS : service.clients.es.france@envu.com

1.4 Emergency telephone number

+44 20 3807 3798

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3	H335: May cause respiratory irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version 1.0 Revision Date: 31.03.2023 SDS Number: 11188422-00001 Date of last issue: -
Date of first issue: 31.03.2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

- Hazard pictograms :
- Signal word : Warning
- Hazard statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P261 Avoid breathing dust.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P321 Specific treatment (see supplemental first aid instructions on this label).
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.

Hazardous components which must be listed on the label:

Potassium chlorate
Permethrin

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form explosible dust-air mixture if dispersed.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Ignites readily. Product burns without a flame to give a dense white harmful smoke.

Contact with dust can cause mechanical irritation or drying of the skin.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version 1.0 Revision Date: 31.03.2023 SDS Number: 11188422-00001 Date of last issue: -
Date of first issue: 31.03.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Smoke generator (FU)

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Potassium chlorate	3811-04-9 223-289-7 017-004-00-3	Ox. Sol. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Chronic 2; H411	>= 10 - < 20
Permethrin	52645-53-1 258-067-9 613-058-00-2	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10,000 M-Factor (Chronic aquatic toxicity): 10,000	>= 10 - < 20
3-Phenoxybenzyl alcohol	13826-35-2 237-525-1 01-2120770239-48	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 0.25 - < 1
Substances with a workplace exposure limit :			
Talc	14807-96-6 238-877-9		>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

- vice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Skin and eye paraesthesia which may be severe
Usually transient with resolution within 24 hours
The product causes irritation of eyes, skin and mucous membranes.
Cough
sneezing
discomfort in the chest
tachycardia
hypotension
Nausea
Abdominal pain
Diarrhoea
Vomiting
Dizziness
Blurred vision
Headache
anorexia
Somnolence
Coma
Convulsions
Tremors
Airway hyperreaction

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Pulmonary oedema
Palpitation
muscle twitching
Lethargy

Risks : Contact with dust can cause mechanical irritation or drying of the skin.
This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Initial treatment: symptomatic.
There is no specific antidote available.
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.
However, the application of activated charcoal and sodium sulphate is always advisable.
Oxygen or artificial respiration if needed.
In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens.
Keep respiratory tract clear.
Contraindication: atropine.
Monitor: respiratory and cardiac functions.
If not effective, phenobarbital may be used.
Contraindication: derivatives of adrenaline.
Recovery is spontaneous and without sequelae.
In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not use a solid water stream as it may scatter and spread fire.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Metal oxides
Silicon oxides

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Carbon oxides
Chlorine compounds
Chlorine compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid breathing dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:
Strong oxidizing agents

7.3 Specific end use(s)

- Specific use(s) : Refer to the label and/or leaflet.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version 1.0 Revision Date: 31.03.2023 SDS Number: 11188422-00001 Date of last issue: -
Date of first issue: 31.03.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind 10 mg/m³
Value type (Form of exposure): TWA (Inhalable)
Basis: GB EH40

4 mg/m³
Value type (Form of exposure): TWA (Respirable fraction)
Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Talc	14807-96-6	TWA (Respirable dust)	1 mg/m ³	GB EH40

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Potassium chlorate	Workers	Inhalation	Long-term systemic effects	5.76 mg/m ³
	Workers	Skin contact	Long-term systemic effects	3.5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.3 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	0.13 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.06 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Potassium chlorate	Fresh water	1.15 mg/l
	Marine water	1.15 mg/l
	Sewage treatment plant	115 mg/l
	Soil	3.83 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
If sufficient ventilation is unavailable, use with local exhaust ventilation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Personal protective equipment

- Eye/face protection : Wear the following personal protective equipment:
Safety goggles
Equipment should conform to BS EN 166
- Hand protection
- Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm
Directive : Equipment should conform to BS EN 374
Protective index : Class 6
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to BS EN 14387
- Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : powder
- Colour : light beige, white
- Odour : characteristic
- Odour Threshold : No data available
- pH : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Bulk density	:	940 kg/m ³
Solubility(ies) Water solubility	:	partly soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	> 130 °C
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Particle size	:	No data available
---------------	---	-------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust can form an explosive mixture in air.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 1,818 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Potassium chlorate:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

toxicity

Permethrin:

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

3-Phenoxybenzyl alcohol:

Acute oral toxicity : LD50 (Rat, female): 1,496 mg/kg

Talc:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:

Potassium chlorate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Permethrin:

Species : Rabbit
Result : No skin irritation

Talc:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Remarks : Based on data from similar materials

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version 1.0 Revision Date: 31.03.2023 SDS Number: 11188422-00001 Date of last issue: -
Date of first issue: 31.03.2023

Components:

Potassium chlorate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Permethrin:

Species : Rabbit
Result : No eye irritation

Talc:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Product:

Exposure routes : Skin contact
Species : Guinea pig
Result : positive
Remarks : Based on data from similar materials
Assessment : Probability or evidence of skin sensitisation in humans

Components:

Potassium chlorate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Permethrin:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive
Assessment : Probability or evidence of skin sensitisation in humans

Talc:

Exposure routes : Skin contact
Species : Humans
Result : negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Germ cell mutagenicity

Components:

Potassium chlorate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Method: OECD Test Guideline 482
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Permethrin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Rat
Application Route: Intraperitoneal injection
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Result: positive

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Talc:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

Components:

Potassium chlorate:

Species : Rat
Application Route : Ingestion
Exposure time : 106 weeks
Result : negative
Remarks : Based on data from similar materials

Permethrin:

Species : Rat
Result : negative

Species : Mouse
Result : negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Talc:

Species	:	Mouse
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Components:

Potassium chlorate:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
----------------------	---	---

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
-------------------------------	---	---

Permethrin:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	--

Talc:

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	--

STOT - single exposure

Product:

Assessment	:	May cause respiratory irritation.
------------	---	-----------------------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

STOT - repeated exposure

Repeated dose toxicity

Components:

Potassium chlorate:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

Permethrin:

Species	:	Rat
NOAEL	:	0.2201 mg/l
Application Route	:	Inhalation
Exposure time	:	90 Days

Species	:	Rat
NOAEL	:	175 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

Aspiration toxicity

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): 0.01 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.00017 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
---	---	---

Components:

Potassium chlorate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
---	---	---

Toxicity to algae/aquatic	:	ErC50 : 1.9 mg/l
---------------------------	---	------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

plants Exposure time: 72 h

NOEC : 0.5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 : > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: > 1 mg/l
Exposure time: 36 d
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Permethrin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0001 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13 mg/l
Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10,000

Toxicity to microorganisms : EC50 : > 1,000 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.00041 mg/l
Exposure time: 35 d
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0047 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

M-Factor (Chronic aquatic toxicity) : 10,000

3-Phenoxybenzylic alcohol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1.32 - < 2.90 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.05 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 13.498 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

Talc:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l
Exposure time: 24 h

12.2 Persistence and degradability

Components:

Permethrin:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

Components:

Permethrin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4.67

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.
Empty containers retain residue and can be dangerous.
Do not re-use empty containers.

Waste Code : The following Waste Codes are only suggestions:

used product
02 01 08, agrochemical waste containing hazardous substances

unused product
02 01 08, agrochemical waste containing hazardous substances

uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Permethrin)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Permethrin)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Permethrin)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Permethrin)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Permethrin)

14.3 Transport hazard class(es)

ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN	:	
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
ADR	:	
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
Tunnel restriction code	:	(-)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Potassium chlorate
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Potassium chlorate Permethrin
Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products	:	
Product Type	:	Insecticides, acaricides and products to control other arthropods
Active substance	:	13.5 % Permethrin
Control of Major Accident Hazards Regulations 2015 (COMAH)	:	
E1	ENVIRONMENTAL HAZARDS	Quantity 1 100 t Quantity 2 200 t

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002
Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H271 : May cause fire or explosion; strong oxidizer.
H302 : Harmful if swallowed.
H317 : May cause an allergic skin reaction.
H332 : Harmful if inhaled.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Ox. Sol. : Oxidizing solids
Skin Sens. : Skin sensitisation
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



COOPEX MINI SMOKE GENERATOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188422-00001	Date of first issue: 31.03.2023

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Acute Tox. 4	H302
Eye Irrit. 2	H319
Skin Sens. 1	H317
STOT SE 3	H335
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN